In the Claims:

Please amend the claims as follows:

1. (Currently Amended) A compound having the structure of Formula (I) or Formula (II)

wherein:

R₁ is selected from H, substituted and unsubstituted alkyl, substituted and unsubstituted heteroalkyl, substituted and unsubstituted aryl, substituted and unsubstituted arylalkyl, substituted and unsubstituted heteroarylalkyl, and substituted and unsubstituted cycloalkyl, and substituted and unsubstituted heterocycloalkyl;

R₂ is selected from H, substituted and unsubstituted alkyl, substituted and unsubstituted alkenyl, substituted and unsubstituted alkynyl, substituted and unsubstituted heteroalkyl, substituted and unsubstituted haloalkyl, substituted and unsubstituted arylalkyl, substituted and unsubstituted arylalkyl, substituted and unsubstituted heteroaryl, substituted and unsubstituted heteroarylalkyl, and substituted and unsubstituted heterocycloalkyl;

R₃ is selected from a substituted and unsubstituted alkyl or a substituted and unsubstituted heteroalkyl;

R₄ is selected from H, substituted and unsubstituted alkyl, substituted and

unsubstituted heteroalkyl, substituted and unsubstituted aryl, substituted and unsubstituted arylalkyl, substituted and unsubstituted heteroarylalkyl, and substituted and unsubstituted cycloalkyl, and substituted and unsubstituted cycloalkyl, and substituted and unsubstituted heterocycloalkyl;

R₃ and R₄ can be connected together to form a <u>pyridine or piperidine ring</u> 4, 5, 6 or 7-member heterocylce;

R₅ is selected from H, substituted and unsubstituted alkyl, substituted and unsubstituted heteroalkyl, substituted and unsubstituted aryl, substituted and unsubstituted arylalkyl, substituted and unsubstituted pyridine heteroaryl, substituted and unsubstituted eycloalkyl, and substituted and unsubstituted piperidine heterocycloalkyl;

X and Y are independently selected from substituted and unsubstituted alkyl, substituted and unsubstituted alkenyl, substituted and unsubstituted alkynyl, substituted and unsubstituted heteroalkyl, substituted and unsubstituted haloalkyl, substituted and unsubstituted aryl, substituted and unsubstituted arylalkyl, substituted and unsubstituted heteroarylalkyl, substituted and unsubstituted heteroarylalkyl, substituted and unsubstituted heteroarylalkyl, substituted and unsubstituted piperidine heterocycloalkyl, CO₂, CO and SO₂,

wherein a, b and c are each independently 0 or 1, and including pharmaceutically acceptable salts thereof.

- 2. (Original) The compound of claim 1, wherein R_1 is -H, lower substituted and unsubstituted alkyl, substituted and unsubstituted benzyl, substituted and unsubstituted alkylemino alkyl.
- 3. (Original) The compound of claim 2, wherein R_1 is methyl or substituted and unsubstituted benzyl.
 - 4. (Original) The compound of claim 1, wherein R2 is -H, lower substituted and

Filed: 31 July 2003

unsubstituted alkyl, substituted and unsubstituted arylalkyl, or substituted and unsubstituted heteroarylalkyl.

- 5. (Original) The compound of claim 4, wherein R_2 is substituted or unsubstituted arylalkyl with 0-4 substituents selected from alkoxy, F, Cl, Br, CN, 2,4-dichloro, 3,4-dichloro, 2,6-dichloro, and 3,4-difluoro.
- 6. (Original) The compound of claim 1, wherein R_3 is selected from substituted and unsubstituted alkyl or substituted and unsubstituted heteroalkyl.
- 7. (Original) The compound of claim 1, wherein R_4 is -H or substituted or unsubstituted lower alkyl.
- 8. (Currently Amended) The compound of claim 1, wherein R₄ and R₃ form a pyridine ring 4, 5, 6 or 7-member heterocylce with 1-3 heteroatoms.
- 9. (Currently Amended) The compound of claim $\underline{1}$ 8, wherein \underline{R}_4 and \underline{R}_3 form a piperidine ring the heterocylic ring is piperazine, homopiperazine or pyrrolidine.
- 10. (Currently Amended) The compound of claim 1, wherein X is alkyl, heterolakyl, heterocycle, or aryl or heteroaryl.
- 11. (Currently Amended) The compound of claim $\underline{1}$ 10, wherein X is <u>pyridine</u> a 4, 5, 6 or 7-member heterocylce with 1-3 heteroatoms.
 - 12. (Currently Amended) The compound of claim 1 11, wherein X is piperidine.
- 13. (Currently Amended) The compound of claim 1, wherein Y is bond, alkyl, heterocycle, aryl, heteroaryl or COO.

Filed: 31 July 2003

14. (Currently Amended) The compound of claim $\frac{1}{1}$ 13, wherein Y is <u>pyridine or</u>

piperidine 4, 5, 6 or 7-member heterocycle with 1-3 heteroatems.

15. (Original) The compound of claim 13, wherein Y is COO.

16. (Currently Amended) The compound of claim 1, wherein R₅ is -H, substituted

and unsubstituted alkyl, substituted and unsubstituted heteroalkyl, and substituted and

unsubstituted aryl, substituted and unsubstituted heteroaryl, or substituted and

unsubstituted heterocycle.

17. (Original) The compound of claim 16, wherein R₅ is anyl or substituted anyl.

18. (Original) The compound of claim 17, wherein R_5 is phenyl or benzyl.

19. (Original) A pharmaceutical composition comprising a therapeutically

effective amount of a compound of Claim 1 in a pharmaceutically-acceptable carrier.

20. (Withdrawn) A method for preventing or treating a disease associated with a

change in levels of expression of members of a gene set in a mammal comprising

administering to said mammal a therapeutically effective amount of a compound of Claim

1.

21. (Withdrawn) A method for preventing or treating a disorder modulated by

altered gene expression, wherein the disorder is selected from the group consisting of

cancer, cardiovascular disorders, arthritis, osteoporosis, inflammation, periodontal

disease and skin disorders, by administering to a mammal in need of such treatment a

safe and effective amount of a compound according to Claim 1.

5

Filed: 31 July 2003

22. (Withdrawn) The method of Claim 21, wherein the disorder is cancer, and the

treatment prevents, arrests or reverts tumor growth and metastasis.

23. (Withdrawn) The method of Claim 22, wherein the cancer is epithelial cancer.

24. (Withdrawn) The method of Claim 22 wherein the cancer is colon cancer.

25. (Withdrawn) A gene set wherein expression of each member of said gene

set is modulated as a result of treatment with a compound of claim 1.

26. (Withdrawn) The gene set of claim 25 wherein expression of each member of

said gene set is increased or each member of said gene set is decreased as a result of

said contacting.

27. (Withdrawn) The gene set of claim 25 wherein the members of said gene set

are selected from the genes identified in Table 1.

28. (Withdrawn) The gene set of claim 25 wherein said gene set is present in a

cell.

29. (Withdrawn) A set of genes comprising a plurality of subsets of genes

wherein each subset of said plurality is a gene set identified by the method of claim 25.

30. (Withdrawn) A method for identifying an agent that modulates the expression

of a gene set of claim 25, comprising:

(a) contacting a compound with a test system containing one or more

polynucleotides corresponding to each of the members of the gene set of claim 25

under conditions wherein the members of said gene set are being expressed;

6

Filed: 31 July 2003

(b) determining a change in expression of each of said one or more

polynucleotides of step (a) as a result of said contacting;

wherein said change in expression in step (b) indicates modulation of the

members of said gene set thereby identifying said test compound as an agent that

modulates the expression of said gene set.

31. (Withdrawn) The method of claim 30 wherein said change in expression is a

decrease in expression of said one or more polynucleotides.

32. (Withdrawn) The method of claim 30 wherein said change in expression is a

change in transcription of said one or more polynucleotides.

33. (Withdrawn) The method of claim 30 wherein said change in expression is

determined by determining a change in activity of a polypeptide encoded by said

polynucleotide.

34. (Withdrawn) The method of claim 30 wherein said test system is a cell

containing said polynucleotides.

35. (Withdrawn) The method of claim 34 wherein said cell is a cancer cell.

36. (Withdrawn) The method of claim 35 wherein said cancer cell is a colon

cancer cell.

37. (Withdrawn) The method of claim 36 wherein said colon cancer cell is an

adenocarcinoma cancer cell.

38. (Withdrawn) The method of claim 34 wherein said cell is a recombinant cell

engineered to contain said set of genes.

7

- 39. (Withdrawn) Compounds identified as having activity using the method of claim 30.
- 40. (Currently Amended) A compound, including pharmaceutically acceptable salts thereof, having the structure of:
- 3-Benzyloxy-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-piperidin-4-yl)-amide]4-hydroxyamide,
- 3-Benzyloxy-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-dimethylamino-benzylamide) 4-hydroxyamide.
- 3-Benzyloxy-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(3-dimethylamino-2,2-dimethyl-propyl)-amide] 4-hydroxyamide,
- 3-(4-Methoxy-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-dimethylaminobenzylamide) 4-hydroxyamide,
- 3-(4-Methoxy-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-piperidin-4-yl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-dimethylamino-benzylamide) 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[3-(2-methyl-piperidin-1-yl)-propyl]-amide},
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(3-morpholin-4-yl-propyl)-amide]
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(3-dimethylamino-propyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(3-dimethylamino-2,2-dimethyl-propyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[2-(1-methyl-pyrrolidin-2-yl)-ethyl]-amide}
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(3-piperidin-1-yl-propyl)-amide]_,

- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(3-diethylamino-propyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(3-dibutylamino-propyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-amino-benzylamide) 4-hydoxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(2-diethylamino-ethyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-piperidin-4-yl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[3-(4-methyl-piperazin-1-yl)-propyl]-amide},
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(3-azepan-1-yl-propyl)-amide] 4-hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-aminomethyl-benzylamide) 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(pyrrolidin-2-ylmethyl)-amide]
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(2-piperazin-1-yl-ethyl)-amide]
- 6-{[3-(3,4-Dichloro-benzyloxy)-4-hydroxycarbamoyl-1-methyl-1H-pyrrole-2-carbonyl]-amino}-hexanoic acid methyl ester.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(3,4-dihydroxy-benzylamide) 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-aza-bicyclo[2.2.2]oct-3-yl)-amide] 4-hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-4-hydroxycarbamoyl-1-methyl-1H-pyrrole-2-carboxylic acid 1-benzyl-piperidin-4-yl ester.

- 5-(5-Benzyl-2,5-diaza-bicyclo[2.2.1]heptane-2-carbonyl)-4-(3,4-dichloro-benzyloxy)-1-methyl-1H-pyrrole-3-carboxylic-acid hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[4-(2-hydroxy-ethyl)-piperazin-1-yl]-amide}
- 5-([1,4']Bipiperidinyl-1'-carbonyl)-4-(3,4-dichloro-benzyloxy)-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(1-naphthalen-1-yl-ethyl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(benzo[1,3]dioxol-5-ylmethyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[(4-methyl-pyridin-2-yl)-phenyl-methyl]-amide},
- 5-(N'-Benzyl-hydrazinocarbonyl)-4-(3,4-dichloro-benzyloxy)-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-{[2-(1-benzyl-piperidin-4-ylamino)-phenyl]-amide} 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[4-(4-methyl-piperidin-1-yl)-phenyl]-amide},
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-piperidin-4-ylamide,
- 5-(4-Amino-piperidine-1-carbonyl)-4-(3,4-dichloro-benzyloxy)-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-{[1-(4-dimethylamino-butyryl)-piperidin-4-yl]-amide} 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-{[1-(4-cyano-benzyl)-piperidin-4-yl]-amide} 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic-acid-4-hydroxyamide 2-[(4-methyl-piperazin-1-yl)-amide]

- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 4-[(1,2,2,6,6-pentamethyl-piperidin-4-yl)-amide]_,
- 4-{[3-(3,4-Dichloro-benzyloxy)-4-hydroxycarbamoyl-1-methyl-1H-pyrrole-2-carbonyl]-amino}-piperidine-1-carboxylic acid ethyl ester.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-indan-1-ylamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(9H-fluoren-9-yl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(1,2,3,4-tetrahydro-naphthalen-1-yl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(4-benzyl-merpholin-2-ylmethyl)-amide] 4-hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-{[2-(4-benzyl-piperazin-1-yl)-ethyl]-amide} 4-hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-piperidin-3-yl)-amide] 4-hydroxyamide,
- 5-(4-Benzyl-piperazine-1-carbonyl)-4-(3,4-dichloro-benzylexy)-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(2,3-dihydro-benzo[1,4]dioxin-2-ylmethyl)-amide] 4-hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-({3-[4-(2-chloro-6-fluoro-benzyl)-piperazin-1-yl]-propyl}-amide) 4-hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-piperidin-1-ylamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(2-hydroxy-indan-1-yl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-pyrrolidin-3-yl)-amide] 4-hydroxyamide,

- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-morpholin-4-ylamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-azepan-1-ylamide 4-hydroxyamide
- 3-(3,4-Dichloro-bonzyloxy)-1-methyl-1H-pyrrolo-2,4-dicarboxylic acid 4-hydroxyamide 2-[(8-methyl-8-aza-bicyclo[3.2.1]oct-3-yl)-amide]
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(2-hydroxy-indan-1-yl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(2-methoxymethyl-pyrrolidin-1-yl)-amide]
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(2-carbamoyl-cyclohexyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-bonzyloxy)-1-mothyl-1H-pyrrolo-2,4-dicarboxylic acid 2-({3-[4-(3-amino-propyl)-piperazin-1-yl]-propyl}-amido) 4-hydroxyamido
- 5-(4-Benzhydryl-piperazine-1-carbonyl)-4-(3,4-dichlore-benzyloxy)-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide
- 4-(3,4-Dichloro-benzyloxy)-5-[4-(4-fluoro-benzyl)-[1,4]diazepane-1-carbonyl]-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide
- 4-(3,4-Dichloro-benzyloxy)-5-{4-[2-(2,5-dimethyl-pyrrol-1-yl)-ethyl]-piperazine-1-carbonyl}-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(4-pyrazol-1-yl-benzylamide)
- 4-(3,4-Dichloro-benzyloxy)-1-methyl-5-[4-(2-methyl-quinolin-4-yl)-piperazine-1-carbonyl]-1H-pyrrole-3-carboxylic acid hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-benzylamide 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(2-methoxy-benzylamide)_,

- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(3-methoxy-benzylamide).
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(2,4-dimethoxy-benzylamide) 4-hydroxyamide.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(3,4-dimethoxy-benzylamide)4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 4-(2,4,6-trimethoxy-benzylamide)_,
- 5-(4-Benzo[1,3]dioxol-5-ylmethyl-piperazine-1-carbonyl)-4-(3,4-dichlore-benzyloxy)-1-methyl-1H-pyrrole-3-carboxylic acid hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[2-(4-hydroxy-phenyl)-ethyl]-amide}.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(pyridin-3-ylmethyl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(pyridin-4-ylmethyl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(pyridin-2-ylmethyl)-amide]_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(4-pentyl-benzylamide)_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-{[2-(2-chloro-6-fluoro-benzylsulfanyl)-ethyl]-amide} 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-{[2-(2,6-dichloro-benzylsulfanyl)-ethyl]-amide} 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-{[3-(3-acetylamino-phenoxy)-propyl]-amide} 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(1-methyl-1H-pyrrol-2-ylmethyl)-amide]_,

- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-[(2-phenyl-thiazol-4-ylmethyl)-amide],
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-{[2-(5-dimethylaminomethyl-furan-2-ylmethylsulfanyl)-ethyl]-amide} 4-hydroxyamide,
- 4-({[3-(3,4-Dichloro-benzyloxy)-4-hydroxycarbamoyl-1-methyl-1H-pyrrole-2-carbonyl]-amino}-methyl)-benzoic acid methyl ester.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(4-methyl-benzylamide)_1
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-{[2-(2-trifluoromethyl-quinolin-4-ylsulfanyl)-ethyl]-amide}.
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(3-pyrrol-1-yl-benzylamide)_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(4-[1,2,3]thiadiazol-4-yl-benzylamide)_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-hydroxyamide 2-(4-thiophen-3-yl-benzylamide)_,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-[(2,3-dihydro-benzo[1,4]dioxin-6-ylmethyl)-amide] 4-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-(2-chloro-6-phenoxy-benzylamide) 4-hydroxyamide,
- 3-(2,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-dimethylamino-benzylamide) 4-hydroxyamide,
- 3-(2,6-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 2-(4-dimethylamino-benzylamide) 4-hydroxyamide,
- 1-Benzyl-3-(3,4-dichloro-benzyloxy)-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-piperidin-4-yl)-amide] 4-hydroxyamide,
- 1-Benzyl-3-(3,4-dichloro-benzyloxy)-1H-pyrrole-2,4-dicarboxylic acid 2-[(1-benzyl-piperidin-3-yl)-amide] 4-hydroxyamide,

- 1-Benzyl-3-(3,4-dichloro-benzyloxy)-1H-pyrrole-2,4-dicarboxylic acid 2-{[2-(1-benzyl-piperidin-4-ylamino)-phenyl]-amide} 4-hydroxyamide,
- 3-Benzyloxy-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide,
- 3-Bonzyloxy-1-mothyl-1H-pyrrole-2,4-dicarboxylic acid 2-hydroxyamide 4-{[3-(4-mothyl-piperazin-1-yl)-propyl]-amide}
- 3-(4-Methoxy-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-(4-dimethylamino-benzylamide) 2-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide,
- 4-(4-Benzyl-piperazine-1-carbonyl)-3-(3,4-dichloro-benzyloxy)-1-methyl-1H-pyrrole-2-carboxylic acid hydroxyamide
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-3-yl)-amide] 2-hydroxyamide,
- 3-(3,4-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-pyrrolidin-3-yl)-amide] 2-hydroxyamide
- 3-(2,6-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide,
- 4-(4-Benzyl-piperazine-1-carbonyl)-3-(2,6-dichloro-benzyloxy)-1-methyl-1H-pyrrole-2-carboxylic acid hydroxyamide
- 3-(2,6-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-3-yl)-amide] 2-hydroxyamide,
- 3-(2,6-Dichloro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-pyrrolidin-3-yl)-amide] 2-hydroxyamide
- 3-(4-Cyano-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-3-yl)-amide] 2-hydroxyamide,

3-(4-Cyano-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide,

4-(4-Benzyl-piperazine-1-carbonyl)-3-(4-cyano-benzyloxy)-1-methyl-1H-pyrrole-2-carboxylic acid hydroxyamide

3-(4-Cyano-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-pyrrolidin-3-yl)-amide] 2-hydroxyamide

1-Methyl-3-(pyridin-4-ylmethoxy)-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-pyrrolidin-3-yl)-amide] 2-hydroxyamide

4-(4-Benzyl-piperazine-1-carbonyl)-1-methyl-3-(pyridin-4-ylmethoxy)-1H-pyrrole-2-carboxylic acid hydroxyamide

1-Methyl-3-(pyridin-4-ylmethoxy)-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide,

1-Methyl-3-(pyridin-4-ylmethoxy)-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-3-yl)-amide] 2-hydroxyamide, or

3-(3,4-Difluoro-benzyloxy)-1-methyl-1H-pyrrole-2,4-dicarboxylic acid 4-[(1-benzyl-piperidin-4-yl)-amide] 2-hydroxyamide.

41. (Previously Presented) The compound of claim 1 having the structure